

STATSAFE

Automated Medication Management

By  PHOENIX



Package Verification for Medication 'Dispense' and 'Create' Option in StatSafe



Package Verification for Medication 'Dispense' and 'Create' Option in StatSafe

Many unit-dose and other packaging types now come with UPC or additional bar codes that can be scanned and the NDC identifier of the medication item can be read. StatSafe now has the ability to verify that the correct NDC is being loaded or dispensed by scanning those barcodes.

Note: You must have a scanner available at the pharmacy to verify the NDC on 'Create'. The StatSafe must also have a scanner installed to verify the package on 'Dispense'. If your StatSafe does not have a scanner, reach out to your sales rep for more information.




How to set up NDC package verification on each StatSafe in the portal.


1. Select the StatSafe you would like to add the NDC verification settings to, then select **Edit Settings** and then the **S2 Settings** tab.
2. Add the features from these two selections that you would like.

Require Package Verification on 'Dispense': When this is selected, the nurses will be prompted to scan each individual item's NDC barcode to verify that they have selected the correct medication. Note: This is different from the scanned PIN code on the StatSafe label. These would include unit-dose, single-packaged items, strip packaging with NDC package barcodes, large packages like inhalers, Epi-Pens, etc. that include NDC bar codes on the package.

Require Package Verification on 'Create': When this is selected, the pharmacy staff member creating the item for a StatSafe will need to scan the package at the time of creating and packaging the item. This may be a package label on a bottle of medication that reads the NDC or a unit dose with an NDC barcode printed in the package.





The screenshot shows the 'S2 Settings' tab in the StatSafe portal. It includes sections for 'Current StatSafe date difference from server' (0 days, 0 hours, 0 minutes), 'Adjust StatSafe Time to' (radio buttons for -1 Hr, 0 Hr, 1 Hr, 2 Hrs, 3 Hrs), 'StatSafe Password Timeout (Days)' (0), 'Security Options' (checkboxes for 'Enable Card Verification' and 'Enable Biometric ID'), 'Pharmacy Message on StatSafe (Limit 50 Chars)' (Pharmacy 1-855-633-2278), and 'Additional Options' (checkboxes for 'Admin Only Add/Change User', 'Admin Only Clear Discrepancies', 'Clear Same Item Discrepancies After Verify', 'Clear Discrepancies For Audited Items', 'Use 9 Digit NDC Match For Order Dispensing', 'Require Package Verification on Dispense', 'Require Package Verification on Create', 'Use 2 Factor Authentication on Login', 'Require Pharmacist Check on Non Cube Items', 'Print Patient Names on Patient Assigned Items', 'Allow Special Code Request From Machine', and 'Allow Standard User to Audit Machine').



3. When the **Require Package Verification on Dispense** is selected, it will apply to every drawer location and item in the StatSafe.



4. You can change the settings by drawer to remove the setting for package verification by drawer location.

5. You can also select if the nurse will scan all medication removed if more than one is selected for the quantity.




6. Whenever you create new inventory in a drawer set to verify the NDC on 'create', the pharmacy staff will be prompted to scan the barcode with a scanner while creating the inventory.

7. The item verification field will appear on the screen where you can scan the NDC while creating new inventory items.




8. If the package barcode has not been added yet, the pharmacy staff will add the package NDC that scans under the **Package Verification** tab of the inventory item.

9. When the pharmacy staff is creating StatCubes, they will be prompted to scan the package to verify the item NDC during the **Choose Medication** step of creating the StatCube.



Package verification when dispensing an item from the StatSafe:

1. When dispensing medication from the StatSafe with the settings turned on to **Require Package Verification on Dispense**, the nurse will be prompted to scan the individual package or dose to verify they have the correct NDC for the item chosen.
2. This occurs during the **Verify Package** step when that button is selected.



3. After the package NDC has been scanned and verified, the medication dispense can be confirmed.

